ELSEVIER

Biomembranes

Vol. 1418, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Abriel, H., Hasler, U., Geering, K. and Horisberger, J.-D.
Role of the intracellular domain of the β subunit in Na,K pump function (1418) 85
Aizawa, K., see Nakanishi, Y. (1418) 245
Akeson, M., see Paula, S. (1418) 117
Alves, A.A., see Nepomuceno, M.F. (1418) 285
Aranda, F.J., see Ortiz, A. (1418) 206
Asgharian, N. and Schelly, Z.A.
[illegible] field-induced transient birefringence and light scattering of [illegible] liposomes (1418) 295

Bales, B.L., see Riske, K.A. (1418) 133
Bentley, G.N., Brooks, M.A., O'Neill, C.A. and Findlay, J.B.C.
Determinants of potassium channel assembly localised within the cytoplasmic C-terminal domain of Kv2.1 (1418) 176
Berman, M.C.
Regulation of Ca^{2+} transport by sarcoplasmic reticulum Ca^{2+}-ATPase at limiting [Ca^{2+}] (1418) 48
Boyd, C.A.R., see Fei, Y.-J. (1418) 344
Bradley, A.J., Brooks, D.E., Norris-Jones, R. and Devine, D.V.
C1q Binding to liposomes is surface charge dependent and is inhibited by peptides consisting of residues 14–26 of the human C1qA chain in a sequence independent manner (1418) 19
Brooks, D.E., see Bradley, A.J. (1418) 19
Brooks, M.A., see Bentley, G.N. (1418) 176

Chaloupka, R., Obšil, T., Plášek, J. and Sureau, F.
The effect of hypericin and hypocrellin-A on lipid membranes and membrane potential of 3T3 fibroblasts (1418) 39
Chan, H.C., see Cheng, H.S. (1418) 31
Chan, K.T., see Cheng, H.S. (1418) 31
Chancy, C., see Wu, X. (1418) 239
Cheng, H.S., Wong, W.S., Chan, K.T., Wang, X.F., Wang, Z.D. and Chan, H.C.
Modulation of Ca^{2+}-dependent anion secretion by protein kinase C in normal and cystic fibrosis pancreatic duct cells (1418) 31

de Madariaga, M.A., see Mercadal, M. (1418) 232
de Oliveira Mamede, M.E., see Nepomuceno, M.F. (1418) 285
Deamer, D., see Paula, S. (1418) 117
Devaux, P.F., see Gallet, P.F. (1418) 61
Devine, D.V., see Bradley, A.J. (1418) 19
Domingo, J.C., see Mercadal, M. (1418) 232
Düzgünes, N., see Pires, P. (1418) 71

Ebel, J., see Mithöfer, A. (1418) 127
El Jastimi, R. and Lafleur, M.
Nisin promotes the formation of non-lamellar inverted phases in unsaturated phosphatidylethanolamines (1418) 97
Enríquez-Freire, E., López, R. and Peña, A.
Potassium ion efflux induced by cationic compounds in yeast (1418) 147

Fei, Y.-J., see Wu, X. (1418) 239
Fei, Y.-J., Nara, E., Liu, J.-C., Boyd, C.A.R., Ganapathy, V. and Leibach, F.H.
Preferential recognition of zwitterionic dipeptides as transportable substrates by the high-affinity peptide transporter PEPT2 (1418) 344
Fellmann, P., see Gallet, P.F. (1418) 61
Findlay, J.B.C., see Bentley, G.N. (1418) 176
Fliegmann, J., see Mithöfer, A. (1418) 127
Froemming, G.R., Murray, B.E. and Ohlendieck, K.
Self-aggregation of triadin in the sarcoplasmic reticulum of rabbit skeletal muscle (1418) 197

Gallet, P.F., Zachowski, A., Julien, R., Fellmann, P., Devaux, P.F. and Maftah, A.
Transbilayer movement and distribution of spin-labelled phospholipids in the inner mitochondrial membrane (1418) 61
Ganapathy, V., see Fei, Y.-J. (1418) 344
Ganapathy, V., see Wu, X. (1418) 239
García, D.A. and Perillo, M.A.
Benzodiazepine localisation at the lipid-water interface: effect of membrane composition and drug chemical structure (1418) 221
Garcia, J., see Mercadal, M. (1418) 232
Gaspar, R., see Pires, P. (1418) 71
Geering, K., see Abriel, H. (1418) 85
Gómez Fernández, J.C., see Grau, A. (1418) 307
Gordon, L.M., see Mobley, P.W. (1418) 1
Grau, A., Gómez Fernández, J.C., Peypoux, F. and Ortiz, A.
A study on the interactions of surfactin with phospholipid vesicles (1418) 307
Gubernator, J., Stasiuk, M. and Kozubek, A.
Dual effect of alkylresorcinols, natural amphiphilic compounds, upon liposomal permeability (1418) 253

Hasler, U., see Abriel, H. (1418) 85
Hatta, I., see Wang, X. (1418) 335
Helbling-Leclerc, A., Scherman, D. and Wils, P.
Cellular uptake of cationic lipid/DNA complexes by cultured myoblasts and myotubes (1418) 165
Hirose, M., see Oide, H. (1418) 158
Hisatome, I., see Tanaka, Y. (1418) 320
Horisberger, J.-D., see Abriel, H. (1418) 85
Huang, W., see Wu, X. (1418) 239

Igawa, O., see Tanaka, Y. (1418) 320
Ikeda, K., see Tanaka, Y. (1418) 320
Ikeda, M., see Nakanishi, Y. (1418) 245
Itatsu, T., see Oide, H. (1418) 158

Jenski, L.J., see Williams, E.E. (1418) 185
Julien, R., see Gallet, P.F. (1418) 61

Kashiyama, T., see Nakanishi, Y. (1418) 245

Kinugawa, T., see Tanaka, Y. (1418) 320
Kozubek, A., see Gubernator, J. (1418) 253
Küpcü, S., see Mader, C. (1418) 106
Kurata, Y., see Tanaka, Y. (1418) 320

Lafleur, M., see El Jastimi, R. (1418) 97
Lambert, I.H., see Mollerup, J. (1418) 352
Lamy-Freund, M.T., see Riske, K.A. (1418) 133
Leibach, F.H., see Fei, Y.-J. (1418) 344
Leibach, F.H., see Wu, X. (1418) 239
Liu, J.-C., see Fei, Y.-J. (1418) 344
López, R., see Enríquez-Freire, E. (1418) 147

Mader, C., Küpcü, S., Sára, M. and Sleytr, U.B.
Stabilizing effect of an S-layer on liposomes towards thermal or mechanical stress (1418) 106
Maeshima, M., see Nakanishi, Y. (1418) 245
Maftah, A., see Gallet, P.F. (1418) 61
Matsuda, N., see Nakanishi, Y. (1418) 245
May, B.D., see Williams, E.E. (1418) 185
Mercadal, M., Domingo, J.C., Petriz, J., Garcia, J. and de Madariaga, M.A.
A novel strategy affords high-yield coupling of antibody to extremities of liposomal surface-grafted PEG chains (1418) 232
Mimura, T., see Nakanishi, Y. (1418) 245
Mithöfer, A., Fliegmann, J. and Ebel, J.
Isolation of a French bean (*Phaseolus vulgaris* L.) homolog to the β-glucan elicitor-binding protein of soybean (*Glycine max* L.) (1418) 127
Miyamoto, J., see Tanaka, Y. (1418) 320
Mobley, P.W., Waring, A.J., Sherman, M.A. and Gordon, L.M.
Membrane interactions of the synthetic N-terminal peptide of HIV-1 gp41 and its structural analogs (1418) 1
Mollerup, J. and Lambert, I.H.
Corrigendum to: 'Calyculin A modulates the kinetic constants for the Na^+-coupled taurine transport in Ehrlich ascites tumour cells' (1418) 352
Murray, B.E., see Froemming, G.R. (1418) 197

Nakanishi, Y., Matsuda, N., Aizawa, K., Kashiyama, T., Yamamoto, K., Mimura, T., Ikeda, M. and Maeshima, M.
Molecular cloning and sequencing of the cDNA for vacuolar H^+-pyrophosphatase from *Chara corallina* (1418) 245
Nara, E., see Fei, Y.-J. (1418) 344
Nascimento, O.R., see Riske, K.A. (1418) 133
Nepomuceno, M.F., de Oliveira Mamede, M.E., Vaz de Macedo, D., Alves, A.A., Pereira-da-Silva, L. and Tabak, M.
Antioxidant effect of dipyridamole and its derivative RA-25 in mitochondria: correlation of activity and location in the membrane (1418) 285
Nir, S., see Pires, P. (1418) 71
Norris-Jones, R., see Bradley, A.J. (1418) 19

O'Neill, C.A., see Bentley, G.N. (1418) 176
Obšil, T., see Chaloupka, R. (1418) 39
Ochi, R., see Oide, H. (1418) 158
Ogino, K., see Tanaka, Y. (1418) 320
Ohlendieck, K., see Froemming, G.R. (1418) 197
Oide, H., Tateyama, M., Wang, X.-E., Hirose, M., Itatsu, T., Watanabe, S., Ochi, R. and Sato, N.
Activated stellate (Ito) cells possess voltage-activated calcium current (1418) 158
Ortiz, A., see Grau, A. (1418) 307
Ortiz, A. and Aranda, F.J.
The influence of vitamin K_1 on the structure and phase behaviour of model membrane systems (1418) 206

Paula, S., Akeson, M. and Deamer, D.
Water transport by the bacterial channel α-hemolysin (1418) 117
Pedroso de Lima, M.C., see Pires, P. (1418) 71
Peña, A., see Enríquez-Freire, E. (1418) 147
Pereira-da-Silva, L., see Nepomuceno, M.F. (1418) 285
Peric, M., see Riske, K.A. (1418) 133
Perillo, M.A., see García, D.A. (1418) 221
Petriz, J., see Mercadal, M. (1418) 232
Peypoux, F., see Grau, A. (1418) 307
Pires, P., Simões, S., Nir, S., Gaspar, R., Düzgünes, N. and Pedroso de Lima, M.C.
Interaction of cationic liposomes and their DNA complexes with monocytic leukemia cells (1418) 71
Plášek, J., see Chaloupka, R. (1418) 39

Quinn, P.J., see Wang, X. (1418) 335

Ramakrishnan, M. and Swamy, M.J.
Molecular packing and intermolecular interactions in *N*-acylethanolamines: crystal structure of *N*-myristoylethanolamine (1418) 261
Riske, K.A., Nascimento, O.R., Peric, M., Bales, B.L. and Lamy-Freund, M.T.
Probing DMPG vesicle surface with a cationic aqueous soluble spin label (1418) 133

Sára, M., see Mader, C. (1418) 106
Sasaki, N., see Tanaka, Y. (1418) 320
Sato, N., see Oide, H. (1418) 158
Sato, R., see Tanaka, Y. (1418) 320
Schelly, Z.A., see Asgharian, N. (1418) 295
Scherman, D., see Helbling-Leclerc, A. (1418) 165
Sherman, M.A., see Mobley, P.W. (1418) 1
Shigemasa, C., see Tanaka, Y. (1418) 320
Simões, S., see Pires, P. (1418) 71
Sleytr, U.B., see Mader, C. (1418) 106
Stasiuk, M., see Gubernator, J. (1418) 253
Stillwell, W., see Williams, E.E. (1418) 185
Sureau, F., see Chaloupka, R. (1418) 39
Swamy, M.J., see Ramakrishnan, M. (1418) 261

Tabak, M., see Nepomuceno, M.F. (1418) 285
Takahashi, H., see Wang, X. (1418) 335
Tanaka, Y., Hisatome, I., Miyamoto, J., Urashima, T., Ikeda, K., Yamanouchi, Y., Sasaki, N., Kinugawa, T., Ogino, K., Igawa, O., Yoshida, A., Shigemasa, C., Kurata, Y. and Sato, R.
Enhancing effects of salicylate on tonic and phasic block of Na^+ channels by class 1 antiarrhythmic agents in the ventricular myocytes and the guinea pig papillary muscle (1418) 320
Tateyama, M., see Oide, H. (1418) 158

Urashima, T., see Tanaka, Y. (1418) 320

Vaz de Macedo, D., see Nepomuceno, M.F. (1418) 285

Wang, X., Takahashi, H., Hatta, I. and Quinn, P.J.
An X-ray diffraction study of the effect of α-tocopherol on the structure and phase behaviour of bilayers of dimyristoylphosphatidylethanolamine (1418) 335